

5.4.5 NAME AND ADDRESS WITH DATA LISTING

The Name and Address With Data Listing option generates a listing that displays both item and control data for select IDs in a survey. It is a combination of the ID by Item listing and the Name and Address listing. The output displays the name and address and other control information for select IDs in the survey, as well as the item data reported by each.

Accessing the Screen

- ! Click on the TOOLS button from the StEPS Main Menu.
- ! Click on the QUERIES button from the Tools Menu.
- ! Select the “Listings Request” option.
- ! Choose the “Name and Address with Data” option to display the following:




Figure 5.4.5a Name and Address With Data Listing Request Screen

Screen Features


5.4.5.1 LISTING PARAMETER OPTIONS

General parameter options available on more than one listing request screen are defined in section 5.4.1. Please refer to the appropriate section for instructions on how to define the general listing parameters required for this screen.

- ! Limit IDs (See section 5.4.1.1)
- ! Limit items (See section 5.4.1.2)
- ! Select an output destination (See section 5.4.1.8)
- ! Generate the listing (See section 5.4.1.9)
- ! Save the generated code (See section 5.4.1.10)

5.4.5.2 LISTING OUTPUT

The output for the Name and Address with Data listing appears as follows:



The screenshot shows a SAS window titled "SAS: OUTPUT-Untitled" with a menu bar (File, Edit, View, Globals, Help). The output text is as follows:

```
DISCLOSURE PROHIBITED - TITLE 13, U.S. CODE                                PAGE: 1
NAME/ADDRESS WITH DATA          SURVEY: ATS          STAT PERIOD: 1998A1          DATE: 13APR00:10:02:31
ITEM  RP1998A1  RP          ED1998A1  DI  ED          DI  WD1998A1  WD          CPR1  CPR2

ID:00000111111  00 P  8-444  PANEL:          SMPCODE:          STATUS: A          PREDID:
HUGHES ENTERPRISES          ACTION: A          SUCCID:
COVCDE: 11          SIC :
EFDTE : 000412          NAICS :
EFSTAT: 1998A1          WGT : 1.0000
ARLINGTON VA 22206          KRISTEN HUGHES          PHONE : 703-555-5555          CKNOTE: 000412

USER-DEFINED LINE: BYEDIT

C1PAY          .          .          1234569  A          .          .          .          0.000  0.000
C2PAY          .          .          12345689  A          .          .          .          0.000  0.000
C3PAY          .          .          23456789  A          .          .          .          0.000  0.000
C4PAY          .          .          12345687  A          .          .          .          0.000  0.000
```

Figure 5.4.5b Name and Address with Data Listing Output

Information displayed includes the following:

- ! Listing “header” information, including the disclosure statement, page number, listing title, survey, stat period, and the date/time that the listing was generated.
- ! For each ID, there are 7 rows of control information from the Master and Stat Period Control

files. Name and address information are displayed on the left side of the screen and “status” and other control information are displayed on the right side of the screen. Each of the control variables displayed is listed in the table below. (For a complete description of each of these variables, see Section 4.6 of the User Manual.)

Row	Control Variables from Control File (as displayed from left to right)	
1	ID STRATM FORM PANEL SMPCDE STATUS PREDID	Identification number of respondent Stratum (Note: this variable will not appear in the output if your survey does not use it.) Form number Panel Sample code Status Predecessor ID number
2	ACTION SUCCID	Status action code Successor ID number
3	NAME1 COVCDE SIC	Respondent name (line 1) Coverage code Standard Industrial Classification code
4	NAME2 EFDTE NAICS	Respondent name (line 2) Effective date of current status North American Industrial Classification System code
5	STREET EFSTAT WGT	Respondent street address Effective statistical period of current status Weight
6	CITY STATE ZIP, ZIP4 CONTNM PHONE CHKDTE	Respondent city Respondent state Respondent zip code Primary contact name (CAREA, CPREF, CSUFF, CEXT) - primary contact phone number Check-in date
7	Blank line	
8	User-defined line containing user selected control file variables (See Section 2.8 for instructions on specifying variables for the user-defined line.) (Optional)	

! Following the control information (for each ID), there is also a separate row of item data for

each item specified in the output. This information includes:

Column Heading	Description
ITEM	Item name (as defined in the Item Data Dictionary) for each data item selected for display.
RP<statp00>	Reported version of the item data for the current statistical period (e.g., RP1997A1).
RP<statp01>	Reported version of the item data for the prior statistical period (e.g., RP1996A1).
ED<statp00>	Edited-unadjusted version of the item data for the current statistical period (e.g., ED1997A1).
D<00>	Data flag which identifies the <u>source</u> of the edited data item value for the current statistical period. (See section 4.2 for a list of data flags and associated descriptions.)
I<00>	Imputation flag which identifies the routine used to impute the edited data item value (if the data flag, “D<00>”, indicates that the value was imputed) for the current statistical period. (See section 4.2 for a list of imputation flags and associated descriptions.)
ED<statp01>	Edited-unadjusted version of the item data for the prior statistical period (e.g., ED1996A1).
D<01>	Data flag which identifies the <u>source</u> of the edited data item value for the prior statistical period. (See section 4.2 for a list of data flags and associated descriptions.)
I<01>	Imputation flag which identifies the routine used to impute the edited data item value (if the data flag, “D<01>”, indicates that the value was imputed) for the prior statistical period. (See section 4.2 for a list of imputation flags and associated descriptions.)
WD<statp00>	Weighted version of the item data for the current statistical period (e.g., WD1997A1).
WD<statp01>	Weighted version of the item data for the prior statistical period (e.g., WD1996A1).
WD<statp02>	Weighted version of the item data for the statistical period preceding WD<statp01> (e.g., WD1995A1).
CPR1	Current-to-prior ratio of the item, calculated as: WD<statp00> / WD<statp01>
CPR2	Current-to-prior ratio of the item, calculated as: WD<statp01> / WD<statp02>

P-Menus

P-Menu	Options	Function
UTILITY	Save Generated Code as Canned Query	Saves the listing program (with the parameters you have specified) as a canned query, so that you can access and run it at a later date. (See Section 5.4.1.10).
HELP	Listing Request Help (F1) WhoamI (F7)	Displays Help information on using the Listing Request screen. Displays user default and systems information.
EXIT	Exit (F3)	Exits to the previous screen.